


addition of claims) are hereby authorized to be charged to our Deposit Account No. 19-0036.

### *Amendments to the Claims*

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently amended) Compounds of the formula (I)



in which


X is halogen, alkyl, alkoxy, alkenyloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, haloalkyl, haloalkoxy, haloalkenyloxy, nitro, or cyano;

Z is ~~in each case optionally~~ substituted aryl or substituted hetaryl;

W and Y independently of one another are hydrogen, halogen, alkyl, alkoxy, alkenyloxy, haloalkyl, haloalkoxy, haloalkenyloxy, nitro or cyano;

A and D together with the atoms to which they are attached are a saturated or unsaturated 6- or 7-membered ring which optionally contains at least one further heteroatom and which is unsubstituted or substituted in the A,D moiety or represent an optionally substituted 5-membered ring;

G is hydrogen (a) or is selected from the group consisting of:



in which

$\text{E}$  is a metal ion or an ammonium;

$\text{L}$  is oxygen or sulphur;

$\text{M}$  is oxygen or sulphur;

$\text{R}^1$  optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, polyalkoxyalkyl or optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl which may be interrupted by at least one heteroatom, is optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl;

$\text{R}^2$  is optionally halogen-substituted alkyl, alkenyl is optionally substituted cycloalkyl, phenyl or benzyl;

$\text{R}^3$ ,  $\text{R}^4$  and  $\text{R}^5$  independently of one another are optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, cycloalkylthio or is substituted phenyl, benzyl, phenoxy or phenylthio; and


$\text{R}^6$  and  $\text{R}^7$  independently are hydrogen, optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, optionally substituted phenyl, is optionally substituted benzyl or together with the  $\text{N}$  atom to which they are attached are a ring which is optionally interrupted by oxygen or sulphur.

2. (Previously Presented) Compounds of the formula (I) according to Claim

X is halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyloxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylsulphinyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, C<sub>3</sub>-C<sub>6</sub>-haloalkenyloxy, nitro or cyano;

W and Y independently are hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, nitro or cyano;

Z is one of the radicals selected from the group consisting of:



V<sup>1</sup> is halogen, C<sub>1</sub>-C<sub>12</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylsulphinyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, nitro, cyano or represents phenyl, phenoxy, phenoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, phenyl-C<sub>1</sub>-C<sub>4</sub>--alkoxy, phenylthio-C<sub>1</sub>-C<sub>4</sub>--alkyl or phenyl- C<sub>1</sub>-C<sub>4</sub>-alkylthio, each of which is optionally mono- or polysubstituted by halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, nitro or cyano;





V<sup>2</sup> and V<sup>3</sup> independently are hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;

A and D together are optionally substituted C<sub>4</sub>-C<sub>6</sub>-alkanediyl or C<sub>4</sub>-C<sub>6</sub>-alkenediyl in which optionally one methylene group may be replaced by oxygen or sulphur,

wherein possible substituents are:


halogen, hydroxyl, mercapto or optionally halogen-substituted C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>3</sub>-C<sub>7</sub>-cycloalkyl, phenyl, benzyloxy or a further C<sub>1</sub>-C<sub>6</sub>-alkanediyl grouping,

or which optionally contains one of the following groups



or is C<sub>3</sub>-alkanediyl which is optionally mono- to trisubstituted by halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy;

G is hydrogen (a) or selected from the group consisting of:



in which

E is a metal ion or an ammonium ion;

L is oxygen or sulphur; and

M is oxygen or sulphur;

R<sup>1</sup> is optionally halogen-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkylthio-C<sub>1</sub>-C<sub>8</sub>-alkyl, poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>g</sub>-alkyl or optionally halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituiertes C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which optionally one or more not directly adjacent ring members are replaced by oxygen and/or sulphur,

is optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl-, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-, C<sub>1</sub>-C<sub>6</sub>-alkylthio- or C<sub>1</sub>-C<sub>6</sub>-alkylsulphonylsubstituted phenyl,

is optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl- or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-substituted phenyl-C<sub>1</sub>-C<sub>6</sub>-alkyl,

is optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5- or 6-membered hetaryl,

is optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted phenoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl or

is optionally halogen-, amino- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5-or 6-membered heteroalkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>2</sup> is optionally halogen-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl, poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl,

is optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl- or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl or

is optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl- or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-substituted phenyl or benzyl;

R<sup>3</sup> is optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or is optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, cyano- or nitro-substituted phenyl or benzyl;

R<sup>4</sup> and R<sup>5</sup> independently are optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>8</sub>-alkylamino, di-(C<sub>1</sub>-C<sub>8</sub>-alkyl)-amino, C<sub>1</sub>-C<sub>8</sub>-alkylthio, C<sub>2</sub>-C<sub>8</sub>-alkenylthio, C<sub>3</sub>-C<sub>7</sub>-cycloalkylthio or are optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkylthio-, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-haloalkylsubstituted phenyl, phenoxy or phenylthio;

R<sup>6</sup> and R<sup>7</sup> independently are hydrogen, optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl, optionally halogen-, C<sub>1</sub>-C<sub>8</sub>-haloalkyl-, C<sub>1</sub>-C<sub>8</sub>-alkyl- or C<sub>1</sub>-C<sub>8</sub>-alkoxy-substituted phenyl, optionally halogen-, C<sub>1</sub>-C<sub>8</sub>-alkyl-, C<sub>1</sub>-C<sub>8</sub>-haloalkyl- or C<sub>1</sub>-C<sub>8</sub>-alkoxy-substituted benzyl or together are an optionally C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur;

R<sup>13</sup> is hydrogen, optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or C<sub>1</sub>-C<sub>8</sub>-alkoxy, optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur, or halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, nitro- or cyano-substituted phenyl, phenyl-C<sub>1</sub>-C<sub>4</sub>-alkyl or phenyl-C<sub>1</sub>-C<sub>4</sub>-alkoxy;

R<sup>14</sup> is hydrogen or C<sub>1</sub>-C<sub>8</sub>-alkyl; or

R<sup>13</sup> and R<sup>14</sup> together are C<sub>4</sub>-C<sub>6</sub>-alkanediyl;

R<sup>15</sup> and R<sup>16</sup> are identical or different and are C<sub>1</sub>-C<sub>6</sub>-alkyl; or

R<sup>15</sup> and R<sup>16</sup> together are a C<sub>2</sub>-C<sub>4</sub>-alkanediyl radical which is optionally substituted by C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl or by optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, nitro- or cyano-substituted phenyl;

R<sup>17</sup> and R<sup>18</sup> independently are hydrogen, optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or are optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, nitro- or cyano-substituted phenyl; or

R<sup>17</sup> and R<sup>18</sup> together with the carbon atom to which they are attached are a carbonyl group or optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted C<sub>5</sub>-C<sub>7</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur;

R<sup>19</sup> and R<sup>20</sup> independently are C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, C<sub>1</sub>-C<sub>10</sub>-alkoxy, C<sub>1</sub>-C<sub>10</sub>-alkylamino, C<sub>3</sub>-C<sub>10</sub>-alkenylamino, di-(C<sub>1</sub>-C<sub>10</sub>-alkyl)-amino or di-(C<sub>3</sub>-C<sub>10</sub>-alkenyl)amino.


3. (Previously Presented) Compounds of the formula (I) according to Claim 1 in which

W is hydrogen, fluorine, chlorine, bromine, methyl, ethyl, methoxy or ethoxy;

X is fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>3</sub>-C<sub>4</sub>-alkenyloxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>3</sub>-C<sub>4</sub>-haloalkenyloxy, nitro or cyano;

Y is hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy;

Z is one of the radicals selected from the group consisting of:




$V^1$  is fluorine, chlorine, bromine,  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -alkylthio,  $C_1$ - $C_4$ -alkylsulphonyl,  $C_1$ - $C_2$ -haloalkyl,  $C_1$ - $C_2$ -haloalkoxy, nitro, cyan or is phenyl, phenoxy, phenoxy- $C_1$ - $C_2$ -alkyl, phenyl- $C_1$ - $C_2$ -alkoxy, phenylthio- $C_1$ - $C_2$ -alkyl or phenyl- $C_1$ - $C_2$ -alkylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine,  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_2$ -haloalkyl,  $C_1$ - $C_2$ -haloalkoxy, nitro or cyano;

$V^2$  and  $V^3$  independently are hydrogen, fluorine, chlorine, bromine,  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_2$ -haloalkyl or  $C_1$ - $C_2$ -haloalkoxy;



A and D together are optionally substituted  $C_4$ - $C_5$ -alkanediyl in which optionally one methylene group may be replaced by a carbonyl group, oxygen or sulphur, possible substituents being hydroxyl,  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_4$ -alkoxy or a further  $C_1$ - $C_4$ -alkanediyl grouping, or

which optionally contains one of the following groups



or are C<sub>3</sub>-alkanediyl which is optionally mono- or disubstituted by fluorine, chlorine, trifluoromethyl, methyl, ethyl or methoxy;

G is hydrogen (a) or selected from the group consisting of:



in which

E is a metal ion or an ammonium ion;

L is oxygen or sulphur; and

M is oxygen or sulphur;

R<sup>1</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>8</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine, or is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl which is optionally mono- or disubstituted by fluorine, chlorine, C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy and in which optionally one or two not directly adjacent ring members are replaced by oxygen,

is phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy,

R<sup>2</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>8</sub>-alkenyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine,

is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl which is optionally monosubstituted by C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy, or

is phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>3</sub>-alkoxy, trifluoromethyl or trifluoromethoxy;

R<sup>3</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl which is optionally mono- to trisubstituted by fluorine or is phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro;

R<sup>4</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylamino, di-(C<sub>1</sub>-C<sub>6</sub>-alkyl)amino, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>3</sub>-C<sub>4</sub>-alkenylthio, C<sub>3</sub>-C<sub>6</sub>-cycloalkylthio, each of which is optionally mono- to trisubstituted by fluorine, or is phenyl, phenoxy or phenylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, cyano, C<sub>1</sub>-C<sub>3</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkoxy, C<sub>1</sub>-C<sub>3</sub>-alkylthio, C<sub>1</sub>-C<sub>3</sub>-haloalkylthio, C<sub>1</sub>-C<sub>3</sub>-alkyl or trifluoromethyl;

R<sup>5</sup> is C<sub>1</sub>-C<sub>6</sub>-alkoxy or C<sub>1</sub>-C<sub>6</sub>-alkylthio;

R<sup>6</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine, is phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, trifluoromethyl, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy, is benzyl which is optionally monosubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, trifluoromethyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy;

R<sup>7</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-alkenyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>6</sup> and R<sup>7</sup> together are a C<sub>4-5</sub>-alkylene radical which is optionally mono- or disubstituted by methyl or ethyl and in which optionally one methylene group is replaced by oxygen or sulphur;

R<sup>15</sup> and R<sup>16</sup> are identical and are C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>15</sup> and R<sup>16</sup> together are a C<sub>2</sub>-C<sub>3</sub>-alkanediyl radical which is optionally mono- or disubstituted by methyl, ethyl, propyl or isopropyl;

$R^{17}$  and  $R^{18}$  independently are hydrogen, represent methyl, ethyl, propyl, isopropyl, butyl, isobutyl or tert-butyl, each of which is optionally mono-to trisubstituted by fluorine and/or chlorine;

$R^{17}$  and  $R^{18}$  together with the carbon to which they are attached are a carbonyl group or are optionally methyl-, ethyl-, methoxy- or ethoxy-substituted  $C_5$ - $C_6$ -cycloalkyl in which optionally one methylene group is replaced by oxygen.


4. (Previously Presented) Compounds of the formula (I) according to Claim 1 in which

W is hydrogen, methyl, ethyl or chlorine;

X is chlorine, methyl, ethyl, propyl, methoxy, ethoxy, propoxy or trifluoromethyl;

Y is hydrogen, chlorine or methyl;

Z is one of the radicals selected from the group consisting of:




$V^1$  is fluorine, chlorine, bromine, methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, methoxy, ethoxy, n-propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy;  $SO_2C_2H_5$ ,  $SCH_3$ , phenoxy, nitro or cyano;

$V^2$  and  $V^3$  independently are hydrogen, fluorine, chlorine, methyl, methoxy or trifluoromethyl;

A and D together are optionally substituted  $C_{4-5}$ -alkanediyl in which optionally one methylene group is replaced by oxygen or sulphur and which is optionally substituted by hydroxyl, methyl, ethyl, methoxy, ethoxy or by a further  $C_1$ - $C_4$ -alkanediyl grouping or represent  $C_3$ -alkanediyl which is optionally mono-or disubstituted by fluorine, methyl, trifluoromethyl or methoxy;

G is hydrogen (a) or is selected from the group consisting of:



in which

E is a metal ion equivalent or an ammonium ion;

L is oxygen or sulphur; and

M is oxygen or sulphur;

$R^1$  is  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl,  $C_1$ - $C_2$ -alkoxy- $C_1$ -alkyl,  $C_1$ - $C_2$ -alkylthio- $C_1$ -alkyl, each of which is optionally mono- to trisubstituted by fluorine, or represents cyclopropyl or cyclohexyl, each of which is optionally monosubstituted by fluorine, chlorine, methyl or methoxy,

is phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl or trifluoromethoxy;

$R^2$  is  $C_1$ - $C_8$ -alkyl,  $C_2$ - $C_6$ -alkenyl or  $C_1$ - $C_4$ -alkoxy- $C_2$ - $C_3$ -alkyl, each of which is optionally monosubstituted by fluorine,

or is phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, cyano, nitro, methyl, ethyl, n-propyl, i-propyl, methoxy, ethoxy, trifluoromethyl or trifluoromethoxy;

$R^3$  is methyl, ethyl, n-propyl, isopropyl, each of which is optionally mono- to trisubstituted by fluorine, or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, tert-butyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro;

$R^4$  is  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -alkylamino, di- $(C_1$ - $C_4$ -alkyl)amino,  $C_1$ - $C_4$ -alkylthio, each of which is optionally mono- to trisubstituted by fluorine, or is phenyl, phenoxy or phenylthio, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, cyano,  $C_1$ - $C_2$ -alkoxy,  $C_1$ - $C_2$ -fluoroalkoxy,  $C_1$ - $C_2$ -alkylthio,  $C_1$ - $C_2$ -fluoroalkylthio or  $C_1$ - $C_3$ -alkyl;

$R^5$  is methoxy, ethoxy, propoxy, butoxy, methylthio, ethylthio, propylthio or butylthio;

$R^6$  is hydrogen, represents  $C_1$ - $C_4$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl,  $C_1$ - $C_4$ -alkoxy,  $C_3$ - $C_4$ -alkenyl,  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, each of which is optionally mono- to trisubstituted by fluorine, is phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, trifluoromethyl, methyl or methoxy, represents benzyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, trifluoromethyl or methoxy;

$R^7$  is methyl, ethyl, propyl, isopropyl, butyl, isobutyl or allyl;

$R^6$  and  $R^7$  are a  $C_4$ - $C_5$ -alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur.


5. (Previously Presented) Compounds of the formula (I) according to Claim 1 in which

W is hydrogen or methyl;

X is chlorine or methyl;

Y is hydrogen or methyl;

Z is one of the radicals selected from the group consisting of:




$V^1$  is fluorine, chlorine, methyl, isopropyl, methoxy, trifluoromethyl, trifluoromethoxy,  $\text{SO}_2\text{C}_2\text{H}_5$ ,  $\text{SCH}_3$ , phenoxy or nitro;

$V^2$  is hydrogen, fluorine, chlorine or trifluoromethyl;

A and D together are optionally substituted  $\text{C}_4$ - $\text{C}_5$ -alkanediyl in which optionally one methylene group is replaced by oxygen and which is optionally substituted by a further  $\text{C}_1$ - $\text{C}_2$ -alkanediyl grouping, or are  $\text{C}_3$ -alkanediyl which is optionally mono- or disubstituted by fluorine, methyl or trifluoromethyl;

G is hydrogen (a) or is selected from the group consisting of:



in which

L is oxygen; and

M is oxygen;


R<sup>1</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl or cyclopropyl;

R<sup>2</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>3</sub>-alkyl;

R<sup>3</sup> is methyl, ethyl or isopropyl.

6. (Previously Presented) A process for preparing compounds of the formula (I) according to Claim 1, characterized in that, to obtain


(A) compounds of the formula (I-a)



in which

A, D, W, X, Y and Z are as defined above,

(α) halochlorocarbonyl ketones of the formula (II)




in which

W, X, Y and Z are as defined above

Hal is halogen, or

(β) malonic acid derivatives of the formula (III)



in which

W, X, Y and Z are as defined above and

U is NH<sub>2</sub> or C<sub>1</sub>-C<sub>8</sub>-alkoxy

are reacted with hydrazines of the formula (IV)


A-NH-NH-D (IV)

in which

A and D are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of a base, or

(γ) compounds of the formula (V)




in which

A, D, W, X, Y and Z are as defined above and

R<sup>8</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl,

are reacted, if appropriate in the presence of a diluent and if appropriate in the presence of a base,

compounds of the formulae (I-a) to (I-g) shown above in which A, D, G, W, X, Y and Z are as defined above, compounds of the formulae (I'-a) to (I'-g)




in which

A, D, G, W, X and Y are as defined above and

Z' is chlorine, bromine, iodine,

are reacted with boronic acids of the formula (VI)




in which

Z is as defined above

in the presence of a solvent, a base and a catalyst, suitable catalysts being, in particular, palladium complexes,

(C) compounds of the formula (I-b) shown above in which A, D, R<sup>1</sup>, W, X, Y and Z are as defined above, compounds of the formula (I-a) shown above in which A, D, W, X, Y and Z are as defined above are reacted

(α) with acid halides of the formula (VII)



in which

R<sup>1</sup> is as defined above and

Hal is halogen

or

(β) with carboxylic anhydrides of the formula (VIII)



in which

R<sup>1</sup> is as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

(D) compounds of the formula (I-c) shown above in which A, D, R<sup>2</sup>, M, W, X, Y and Z are as defined above and L is oxygen, compounds of the formula (I-a) shown above in which A, D, W, X, Y and Z are as defined above case reacted

with chloroformic esters or chloroformic thioesters of the formula (IX)




in which

R<sup>2</sup> and M are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder;

(E) compounds of the formula (I-c) shown above in which A, D, R<sup>2</sup>, M, W, X, Y and Z are as defined above and L is sulphur, compounds of the formula (I-a) shown above in which A, D, W, X, Y and Z are as defined above are reacted

with chloromonothioformic esters or chlorodithioformic esters of the formula (X)



in which


M and R<sup>2</sup> are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder

and

(F) compounds of the formula (I-d) shown above in which A, D, R<sup>3</sup>, W, X, Y and Z are as defined above, compounds of the formula (I-a) shown above in which A, D, W, X, Y and Z are as defined above are reacted with

sulphonyl chlorides of the formula (XI)




in which

R<sup>3</sup> is as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

(G) compounds of the formula (I-e) shown above in which A, D, L, R<sup>4</sup>, R<sup>5</sup>, W, X, Y and Z are as defined above, compounds of the formula (I-a) shown above in which A, D, W, X, Y and Z are as defined above are reacted

with phosphorus compounds of the formula (XII)



in which


L, R<sup>4</sup> and R<sup>5</sup> are as defined above and

Hal is halogen;

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

compounds of the formula (I-f) shown above in which A, D, E, W, X, Y and Z are as defined above, compounds of the formula (I-a) in which A, D, W, X, Y and Z are as defined above are reacted

with metal compounds or amines of the formulae (XIII) or (XIV), respectively



in which


Me is a mono- or divalent metal;

t is the number 1 or 2; and

R<sup>4</sup>, R<sup>10</sup>, R<sup>11</sup>, R<sup>12</sup> independently of one another represent hydrogen or alkyl, if appropriate in the presence of a diluent;

compounds of the formula (I-g) shown above in which A, D, L, R<sup>6</sup>, R<sup>7</sup>, W, X, Y and Z are as defined above, compounds of the formula (I-a) shown above in which A, D, W, X, Y and Z are as defined above are reacted

(α) with isocyanates or isothiocyanates of the formula (XV)




in which

R<sup>6</sup> and L are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of a catalyst, or

(β) with carbamoyl chlorides or thiocarbamoyl chlorides of the formula (XVI)




in which

L, R<sup>6</sup> and R<sup>7</sup> are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder.

7. (Previously Presented) Compounds of the formula (II)




in which

W, X, Y and Z are as defined above and

Hal is halogen.

8. (Previously Presented) Compounds of the formula (III)




in which

W, X, Y and Z are as defined above and

U is NH<sub>2</sub> or C<sub>1</sub>-C<sub>8</sub>-alkoxy.


9. (Original) Compounds of the formula (V)



in which

A, D, W, X, Y, Z and R<sup>8</sup> are as defined above.


10. (Original) Compounds of the formula (XVIII)



in which


A, R<sup>8</sup> and D are as defined above.

11. (Original) Compounds of the formula (XIX)




in which

W, X, Y, Z and T are as defined above, except for the compound





12. (Original) Compounds of the formula (XX)




in which

W, X, Y, Z and T are as defined above, except for the compounds






13. (Original) Compounds of the formula (XXI)



in which

W, X, Y, Z and  $R^8$  are as defined above, except for the compounds



14. (Previously Presented) Compositions for controlling pests, comprising at least one compound of the formula (I) according to Claim 1.

15. (Withdrawn) Method for controlling animal pests, unwanted vegetation and/or unwanted microorganisms, characterized in that compounds of the formula (I) according to Claim 1 are allowed to act on pests, unwanted vegetation, unwanted microorganisms and/or their habitat.

16. (Withdrawn) Use of compounds of the formula (I) according to Claim 1 for controlling animal pests, unwanted vegetation and/or unwanted microorganisms.

17. (Withdrawn) Process for preparing compositions for controlling pests, unwanted vegetation and/or unwanted microorganisms, characterized in that compounds of the formula (I) according to Claim 1 are mixed with extenders and/or surfactants.

18. (Withdrawn) Use of compounds of the formula (I) according to Claim 1 for preparing compositions for controlling pests, unwanted vegetation and/or unwanted microorganisms.

19. (Previously Presented) Compositions, comprising an effective amount of an active compound combination comprising, as components,

(a') at least one compound of the formula (I) in which A, D, G, W, X, Y and Z are as defined above

and


(b') at least one crop plant compatibility-improving compound selected from the group consisting of:

4-dichloroacetyl-1-oxa-4-azaspiro[4.5]decane (AD-67, MON-4660), 1-dichloroacetylhexa hydro-3,3,8a-trimethylpyrrolo[1,2-a]pyrimidin-6(2H)-one (dicycl6non, BAS-145138), 4-dichloroacetyl-3,4-dihydro-3-methyl-2H-1,4-benzoxazine (benoxacor), 1-methylhexyl 5-chloroquinoline-8-oxyacetate (cloquintocet-mexyl), 3-(2-chlorobenzyl)-1-(1-methyl-1-phenylethyl)urea (cumyluron),  $\alpha$ -(cyanomethoximino)phenylacetonitrile (cyometrinil), 2,4-dichlorophenoxyacetic acid (2,4-D), 4-(2,4-dichlorophenoxy)butyric acid (2,4-DB), 1-(1-methyl-1-phenylethyl)-3-(4-methylphenyl)urea (daimuron, dymron), 3,6-dichloro-2-methoxybenzoic acid (dicamba), S-1-methyl 1-phenylethyl piperidine-1-thiocarboxylate (dimepiperate), 2,2-dichloro-N-(2-oxo-2-(2-propenylamino)ethyl)-N-(2-propenyl)-acetamide (DKA-24), 2,2-dichloro-N,N-di-2-propenylacetamide (dichlormid), 4,6-dichloro-2-phenylpyrimidine (fenclorim), ethyl 1-(2,4-dichlorophenyl)-5-trichloromethyl-1H-1,2,4-triazole-3-carboxylate (fenchlorazole-ethyl), phenylmethyl 2-chloro-4-trifluoromethylthiazole-5-carboxylate (flurazole), 4-chloro-N-(1,3-dioxolan-2-yl-methoxy)- $\alpha$ -trifluoroacetophenone oxime (fluxofenim), 3-dichloroacetyl-5-(2-furanyl)-2,2-dimethyloxazolidine (furilazole, MON-13900), ethyl 4,5-dihydro-5,5-diphenyl-3-isoxazolecarboxylate 5 (isoxadifen-ethyl), 1-(ethoxycarbonyl)-ethyl 3,6-dichloro-2-methoxybenzoate (lactidichlor), (4-chloro-o-tolyloxy)acetic acid (MCPA), 2-(4-chloro-o-tolyloxy)propionic acid (mecoprop), diethyl 1-(2,4-dichlorophenyl)-4,5-dihydro-5-methyl-1H-pyrazole-3,5-dicarboxylate (mefenpyr-diethyl), 2-dichloromethyl-2-methyl-1,3-dioxolane (MG-191), 2-propenyl-1-oxa-4-azaspiro[4.5]decane-4-carbodithioate (MG-838), 1,8-naphthalic anhydride,  $\alpha$ -(1,3-dioxolan-2-ylmethoximino)phenylacetonitrile (oxabetrinil), 2,2-dichloro-N-(1,3-dioxolan-2-yl-methyl)-N-(2-propenyl)acetamide (PPG-1292), 3-dichloroacetyl-2,2-dimethyloxazolidine (R-28725), 3-dichloroacetyl 2,2,5-timethyloxazolidine (R-29148), 4-(4-chloro-o-tolyl)butyric acid, 4-(4-chlorophenoxy)butyric acid, diphenylmethoxyacetic acid, methyl diphenylmethoxyacetate, ethyl diphenylmethoxyacetate, methyl 1-(2-chlorophenyl)-5-phenyl-1H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichlorophenyl)-5-methyl-1H-pyrazol-3-carboxylate, ethyl 1-(2,4-dichlorophenyl)-5-isopropyl-1H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichlorophenyl)-5-(1,1-di methylethyl)-1 H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichlorophenyl)-5-phenyl 1H-pyrazole-3-carboxylate, ethyl 5-(2,4-dichlorobenzyl)-2-


isoxazoline-3-carboxylate, ethyl 5-phenyl 2-isoxazoline-3-carboxylate, ethyl 5-(4-fluorophenyl)-5-phenyl-2-isoxazoline 3-carboxylate, 1,3-dimethylbut-1-yl 5-chloroquinoline-8-oxyacetate, 4-allyloxybutyl 5-chloroquinoline-8-oxyacetate, 1-allyloxyprop-2-yl 5-chloroquinoline-8-oxyacetate, methyl 5-chloroquinoxaline-8-oxyacetate, ethyl 5-chloroquinoline-8-oxyacetate, allyl 5-chloroquinoxaline-8-oxyacetate, 2-oxoprop-1-yl 5-chloroquinoline-8-oxyacetate, diethyl 5-chloroquinoline-8-oxymalonate, diallyl 5-chloroquinoxaline-8-oxymalonate, diethyl 5-chloroquinoline-8-oxymalonate, 4-carboxychroman-4-ylacetic acid (AC-304415, cf. EP-A-613618), 4-chlorophenoxyacetic acid, 3,3'-dimethyl-4-methoxybenzophenone, 1-bromo-4-chloromethylsulphonylbenzene, 1-[4-(N-2-methoxybenzoylsulphamoyl)phenyl]-3-methylurea (also known as N-(2-methoxybenzoyl)-4-[(methylaminocarbonyl)amino]benzenesulphonamide), 1-[4-(N-2-methoxybenzoylsulphamoyl)phenyl]-3,3-dimethylurea, 1-[4-(N-4,5-dimethylbenzoylsulphamoyl)phenyl]-3-methylurea, 1-[4-(N-naphthylsulphamoyl)phenyl]-3,3-dimethylurea, N-(2-methoxy-5-methylbenzoyl) 4-(cyclopropylaminocarbonyl)benzenesulphonamide;

and/or one of the following compounds, defined by general formulae,

of the general formula (IIa)



or of the general formula (IIb)




or of the formula (IIc)



where

n is a number between 0 and 5;

A<sup>1</sup> is one of the divalent heterocyclic groupings shown below



n is a number between 0 and 5;

A<sup>2</sup> is optionally C<sub>1</sub>-C<sub>4</sub>-alkyl- and/or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted alkanediyl having 1 or 2 carbon atoms;

R<sup>21</sup> is hydroxyl, mercapto, amino, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylamino or di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)-amino;

R<sup>22</sup> is hydroxyl, mercapto, amino, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>8</sub>-alkenyloxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylamino or di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)-amino;

R<sup>23</sup> is optionally fluorine-, chlorine- and/or bromine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>24</sup> is hydrogen, optionally fluorine-, chlorine- and/or bromine-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl or C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, dioxolanyl-C<sub>1</sub>-C<sub>4</sub>-alkyl, furyl-, furyl-C<sub>1</sub>-C<sub>4</sub>-alkyl, thienyl, thiazolyl, piperidinyl, or optionally fluorine-, chlorine- and/or bromine- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted phenyl;

R<sup>25</sup> is hydrogen, optionally fluorine-, chlorine- and/or bromine-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl or C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, dioxolanyl-C<sub>1</sub>-C<sub>4</sub>-alkyl, furyl, furyl-C<sub>1</sub>-C<sub>4</sub>-alkyl, thienyl, thiazolyl, piperidinyl, or optionally fluorine-, chlorine- and/or bromine- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted phenyl, or together with R<sup>24</sup> is C<sub>3</sub>-C<sub>6</sub>-alkanediyl or C<sub>2</sub>-C<sub>5</sub>-oxaalkanediyl, each of which is optionally substituted by C<sub>1</sub>-C<sub>4</sub>-alkyl, phenyl, furyl, a fused benzene ring or by two substituents which, together with the C atom to which they are attached, form a 5- or 6-membered carbocycle;

R<sup>26</sup> is hydrogen, cyano, halogen, or represents in each case optionally fluorine-, chlorine- and/or bromine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or phenyl;

R<sup>27</sup> is hydrogen, optionally hydroxyl-, cyano-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or tri-(C<sub>1</sub>-C<sub>4</sub>-alkyl)-silyl;

R<sup>28</sup> is hydrogen, cyano, halogen, or is optionally fluorine-, chlorine- and/or bromine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or phenyl;


X<sup>1</sup> is nitro, cyano, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;

X<sup>2</sup> is hydrogen, cyano, nitro, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;


X<sup>3</sup> is hydrogen, cyano, nitro, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;

and/or the following compounds, defined by general formulae,

of the general formula (IIId)



or the general formula (IIe)



where

n is a number between 0 and 5;

R<sup>29</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>30</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>31</sup> is hydrogen, in each case optionally cyano-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkoxysubstituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylamino or di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)-amino, or is optionally cyano-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkylsubstituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyloxy, C<sub>3</sub>-C<sub>6</sub>-cycloalkylthio or C<sub>3</sub>-C<sub>6</sub>-cycloalkylamino;

R<sup>32</sup> is hydrogen, optionally cyano-, hydroxyl-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkoxysubstituted C<sub>1</sub>-C<sub>6</sub>-alkyl, optionally cyano-, or halogen-substituted C<sub>3</sub>-C<sub>6</sub>-alkenyl or C<sub>3</sub>-C<sub>6</sub>-alkynyl, or optionally cyano-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl;


R<sup>33</sup> is hydrogen, optionally cyano-, hydroxyl-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkoxy substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, optionally cyano- or halogen-substituted C<sub>3</sub>-C<sub>6</sub>-alkenyl or C<sub>3</sub>-C<sub>6</sub>-alkynyl, optionally cyano-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, or optionally nitro-, cyano-, halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy- or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-substituted phenyl, or together with R<sup>32</sup> is optionally C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>2</sub>-C<sub>6</sub>-alkanediyl or C<sub>2</sub>-C<sub>5</sub>-oxaalkanediyl;

X<sup>4</sup> is nitro, cyano, carboxyl, carbamoyl, formyl, sulphamoyl, hydroxyl, amino, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy; and


X<sup>5</sup> is nitro, cyano, carboxyl, carbamoyl, formyl, sulphamoyl, hydroxyl, amino, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy.

20. (Previously Presented) Compositions according to Claim 19, where the crop plant compatibility-improving compound is selected from the group consisting of:

cloquintocet-mexyl, fenchlorazole-ethyl, isoxadifen-ethyl, mefenpyr-diethyl, furilazole, fenclorim, cumyluron, dymron or the compounds



and



21. (Original) Compositions according to Claim 19 or 20 where the crop plant compatibility-improving compound is cloquintocet-mexyl or mefenpyr-diethyl.

22. (Withdrawn) Method for controlling unwanted vegetation, characterized in that a composition according to Claim 19 is allowed to react on the plants or their habitat.

23. (Withdrawn) Use of a composition according to Claim 19 for controlling unwanted vegetation.

24. (Withdrawn) Method for controlling unwanted vegetation, characterized in that a compound of the formula (I) according to Claim 1 and the crop plant compatibility-improving compound as set forth in Claim 19 are allowed to act on the plants or their habitat separately, one soon after the other.